

IFU

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Honstein, Jerry P. et al. Division: 3732  
Serial No.: 10/743,673 Examiner: Stokes, Candace

Caprio  
Filed: JAN 03 2007 12/22/2003

For **DENTAL PROSTHESES MODELING SYSTEM WITH SYMMETRIC  
DOUBLE-WELL TRAYS SLIDABLY MOUNTABLE TO ARTICULATOR**

Honorable Commissioner For Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Sir:

**AMENDMENT**

This communication is filed in response to an Official Action in the above-identified application, that Action having a mailing date of August 28, 2006, and a shorted statutory period for response set to expire on November 28, 2006. Petition is hereby made for extending the response deadline one month to December 28, 2006. A check in the amount of \$60.00 is enclosed in payment of a required one-month extension fee. Please amend the referenced application as follows:

**In the Specification:**

Amendments to the specification are made by marked-up pages titled "Amendments to Specification."

**In the Claims:**

Please amend the claims as indicated in the attached document titled "Amendments To Claims."

**Remarks:**

Regarding the function of ribs 629, applicant's response filed May 31, 2006 stated that the specification had been amended on page 57, line 28 to describe the function of ribs

01/04/2007 YPOLITE1 00000035 10/743673

01 FC:2251

60.00 UP

entry recommended



IFW

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28

THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Honstein et al.

Division: 3732

Serial No.: 10/743,673

Examiner:

Filed: 12/22/2003

For: **DENTAL PROSTHESES MODELING SYSTEM WITH SYMMETRIC DOUBLE-  
WELL TRAYS SLIDABLY MOUNTABLE TO ARTICULATOR**

Commissioner For Patents  
P.O. Box 1450  
Arlington, VA 22313-1450

Dear Sir:

PRELIMINARY AMENDMENT

In the Specification:

Please amend the specification as indicated in the attached document titled  
"Amendment to Specification."

The specification has been amended to make drawing descriptions and  
references to the drawings consistent with corrected formal drawings filed separately in  
response to a Notice To File Corrected Application Papers dated April 5, 2004.

Respectfully submitted,

*William L. Chapin*

William L. Chapin, Reg. #27,317  
16791 Sea Witch Lane  
Huntington Beach, California 92649  
Telephone: (714) 625-3570

entry recommended